Quality ID #351: Total Knee or Hip Replacement: Venous Thromboembolic and Cardiovascular Risk Evaluation

## 2025 COLLECTION TYPE: MIPS CLINICAL QUALITY MEASURES (CQMS)

### **MEASURE TYPE:**

Process – High Priority

### **DESCRIPTION:**

Percentage of patients regardless of age undergoing a total knee or total hip replacement who are evaluated for the presence or absence of venous thromboembolic and cardiovascular risk factors within 30 days prior to the procedure (e.g., History of Deep Vein Thrombosis (DVT), Pulmonary Embolism (PE), Myocardial Infarction (MI), Arrhythmia and Stroke).

### **INSTRUCTIONS:**

This measure is to be submitted <u>each time</u> a procedure for total knee or total hip replacement is performed during the performance period. There is no diagnosis associated with this measure. This measure may be submitted by Merit-based Incentive Payment System (MIPS) eligible clinicians who perform the quality actions described in the measure based on the services provided and the measure-specific denominator coding.

#### Measure Submission Type:

Measure data may be submitted by individual MIPS eligible clinicians, groups, or third-party intermediaries. The listed denominator criteria are used to identify the intended patient population. The numerator options included in this specification are used to submit the quality actions as allowed by the measure. The quality data codes listed do not need to be submitted by MIPS eligible clinicians, groups, or third-party intermediaries that utilize this modality for submissions; however, these codes may be submitted for those third-party intermediaries that utilize Medicare Part B claims data. For more information regarding Application Programming Interface (API), please refer to the Quality Payment Program (QPP) website.

## **DENOMINATOR:**

All patients regardless of age undergoing a total knee or total hip replacement

Denominator Criteria (Eligible Cases):

**.** . .

All patients, regardless of age <u>AND</u> Patient procedure during the performance period (CPT): 27438, 27442, 27445, 27446, 27447, 27130 <u>WITHOUT</u> Telehealth Modifier (including but not limited to): GQ, GT, POS 02, POS 10

#### NUMERATOR:

...

Patients who are evaluated for the presence or absence of venous thromboembolic and cardiovascular risk factors within 30 days prior to the procedure (e.g., history of DVT, PE, MI, arrhythmia and stroke)

	<u>Numerator Options:</u> Performance Met:	Patients who are evaluated for venous thromboembolic and cardiovascular risk factors within 30 days prior to the procedure (e.g., history of DVT, PE, MI, arrhythmia and stroke) (G9298)
<u> </u>	Performance Not Met:	Patients who are not evaluated for venous thromboembolic and cardiovascular risk factors within 30 days prior to the

<u>OR</u>

procedure (e.g., history of DVT, PE, MI, arrhythmia and stroke, reason not given) (G9299)

### RATIONALE:

Prior to a total knee or total hip replacement, the patient's venous thromboembolic and cardiovascular risk should be evaluated. A population-based study of all Olmstead County, Minnesota, patients undergoing a total hip or knee arthroplasty from 1994 - 2008, reported that patients undergoing a total hip or total knee arthroplasty with a previous history of a cardiac event or a thromboembolic event were associated with an increased risk of a 90-day cardiac or thromboembolic event following surgery (Singh JA, Jensen MR, Harmsen WS, Gabriel SE, Lewallen DG, 2011).

A study using the Danish national resident registries compared all patients undergoing a primary total hip replacement and total knee replacement from 1998 – 2007 to control groups not undergoing one of the procedures and found that the MI rate 2 weeks after total knee replacement was increased 31-fold compared to the control group. The MI rate 2 weeks after total hip replacement was increased 25-fold compared to the control group. (Lalmohamed A, Vestergaard P, Klop C, Grove EL, 2012).

Any preoperative disease state should be identified and managed prior to surgery to minimize the risk of the surgical procedure.

This measure is designed for use by physicians and eligible health care professionals managing ongoing care for all patients undergoing a total knee or hip replacement. This measure addresses the preoperative period.

### **CLINICAL RECOMMENDATION STATEMENT:**

ACC/AHA 2014 Guidelines on Perioperative Cardiovascular Evaluation and Management of Patients Undergoing Noncardiac Surgery

(Fleischer LA, Fleischmann KE, et al. ACC/AHA, 2014)

Perioperative mortality and morbidity due to coronary artery disease (CAD) are untoward complications of noncardiac surgery. Major adverse cardiac events (MACE) after noncardiac surgery is often associated with prior CAD events. The stability and timing of a recent MI impact the incidence of perioperative morbidity and mortality.

A validated risk-prediction tool can be useful in predicting the risk of perioperative MACE in patients undergoing noncardiac surgery. (Class IIa Level of Evidence: B)

#### COPYRIGHT:

© 2024 American Association of Hip and Knee Surgeons. All rights reserved.

These performance measures are not clinical guidelines. They do not establish a standard of medical care and have not been tested for all potential applications. These Measures and specifications are provided "as is" without warranty of any kind. AAHKS shall not be responsible for any use of these performance measures.


Limited proprietary coding is contained in the Measure specifications for convenience. Users of the proprietary code sets should obtain all necessary licenses from the owners of these code sets. AAHKS disclaims all liability for use or accuracy of any Current Procedural Terminology (CPT<sup>®</sup>) or other coding contained in the specifications.

The Measures are subject to review and may be revised at any time by AAHKS. The Measures may not be altered without the prior written approval of AAHKS. Users of the Measures shall not have the right to alter, enhance, or otherwise modify the Measures.

CPT® contained in the Measures specifications is copyright 2004-2024 American Medical Association. All Rights Reserved.

### 2025 Clinical Quality Measure Flow for Quality ID #351: Total Knee or Hip Replacement: Venous Thromboembolic and Cardiovascular Risk Evaluation

Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.



\*See the posted measure specification for specific coding and instructions to submit this measure NOTE: Submission Frequency: Procedure

CPT only copyright 2024 American Medical Association. All rights reserved. The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification. v9

# 2025 Clinical Quality Measure Flow Narrative for Quality ID #351: Total Knee or Hip Replacement: Venous Thromboembolic and Cardiovascular Risk Evaluation

Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.

- 1. Start with Denominator
- 2. All patients, regardless of age.
- 3. Check Patient procedure during the performance period as listed in Denominator\*:
  - a. If *Patient procedure during the performance period as listed in Denominator*\* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If *Patient procedure during the performance period as listed in Denominator*\* equals Yes, proceed to check *Telehealth Modifier.*
- 4. Check Telehealth Modifier:
  - a. If *Telehealth Modifier* equals Yes, do not include in *Eligible Population/Denominator*. Stop processing.
  - b. If Telehealth Modifier equals No, include in Eligible Population/Denominator.
- 5. Denominator Population:
  - a. Denominator Population is all Eligible Procedures in the Denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 80 procedures in the Sample Calculation.
- 6. Start Numerator
- 7. Check Patients who are evaluated for venous thromboembolic and cardiovascular risk factors within 30 days prior to the procedure:
  - a. If Patients who are evaluated for venous thromboembolic and cardiovascular risk factors within 30 days prior to the procedure equals Yes, include in Data Completeness Met and Performance Met.
    - Data Completeness Met and Performance Met letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 60 procedures in the Sample Calculation.
  - b. If *Patients who are evaluated for venous thromboembolic and cardiovascular risk factors within 30 days prior to the procedure* equals No, proceed to check Patients who are not evaluated for venous thromboembolic and cardiovascular risk factors within 30 days prior to the procedure.
- 8. Check Patients who are not evaluated for venous thromboembolic and cardiovascular risk factors within 30 days prior to the procedure:
  - a. If Patients who are not evaluated for venous thromboembolic and cardiovascular risk factors within 30 days prior to the procedure equals Yes, include in Data Completeness Met and Performance Not Met.
    - Data Completeness Met and Performance Not Met letter is represented in the Data Completeness in the Sample Calculation listed at the end of this document. Letter c equals 10 procedures in the Sample Calculation.
  - b. If Patients who are not evaluated for venous thromboembolic and cardiovascular risk factors within 30 days

prior to the procedure equals No, proceed to check Data Completeness Not Met.

- 9. Check Data Completeness Not Met:
  - If *Data Completeness Not Met*, the Quality Data Code or equivalent was not submitted. 10 procedures have been subtracted from the Data Completeness Numerator in the Sample Calculation.

## Sample Calculations

Data Completeness equals Performance Met (a equals 60 procedures) plus Performance Not Met (c equals 10 procedures) divided by Eligible Population/Denominator (d equals 80 procedures). All equals 70 procedures divided by 80 procedures. All equals 87.50 percent.

Performance Rate equals Performance Met (a equals 60 procedures) divided by Data Completeness Numerator (70 procedures). All equals 60 procedures divided by 70 procedures. All equals 85.71 percent.

\*See the posted measure specification for specific coding and instructions to submit this measure.

#### NOTE: Submission Frequency: Procedure

The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.